


In-Swing Single Doors and Double Doors


M	asor	nry	3' 03/4" (933)	3' 43/4" (1 035)	3' 10 ³ /4" (1 187)	5' 9 ¹ /2" (1 765)	6' 5 ¹ /2" (1 969)	7' 5 1/2" (2 273)
	O	pening	2' 101/2" (876)	3' 21/2" (978)	3' 8 1/2" (1 130)	5' 7 ¹ /4" (1 708)	6' 3 ¹ /4" (1 911)	7' 31/4" (2 216)
		Frame	2' 93/4" (857)	3' 1 ³ /4" (959)	3' 73/4" (1 111)	5' 6 ¹ /2" (1689)	6' 2 ¹ / ₂ " (1 892)	7' 2 ¹ / ₂ " (2 197)
7'.01/4" (2.140)	-	6' 10 ³ / ₄ " (2 102)	2' 8" x 6' 8"	3' 0" x 6' 8"	3' 6" × 6' 8"	5' 4" × 6' 8"	6. 0. × 6. 8	7' 0" x 6' 8"
8' 41/4" (2 546)	(2)	8' 23/4" (2 508)	2' 8" x 8' 0"	3' 0" x 8' 0"	3, 6, × 8, 0,	5' 4" × 8' 0"	6, 0, x 8, 0,,	7' 0" x 8' 0"




In-Swing Single Doors with 12" Sidelights



In-Swing Single Doors with 12-5/8" Sidelights




In-Swing Single Doors with 14" Sidelights




For Out-Swing units with standard bumper sill, subtract 1-3/8" from each of the height measurements.


In-Swing Single Doors with Two 12" Sidelights



In-Swing Single Doors with Two 12-5/8" Sidelights




In-Swing Single Doors with Two 14" Sidelights




For Out-Swing units with standard bumper sill, subtract 1-3/8" from each of the height measurements.





In-Swing Double Doors with Two 12-5/8" Sidelights




In-Swing Double Doors with Two 14" Sidelights


Masonry 8' 4 1/2" (2 553)				9' 0 ¹ /2" (2 756)	10' 0 1/2" (3 061)
	Opening		8' 2 1/4" (2 496)	8' 10 ¹ /4" (2 699)	9' 10 1/4" (3 004)
	'	Frame	8' 1 1/2" (2 477)	8' 9 ¹ /2" (2 680)	9' 9 1/2" (2 985)
			, ,	· · · · · · · · · · · · · · · · · · ·	, ,
(2 140)	(2 115)	(2 102)			
7.01/4"	6'111/4"	6' 10 3/4"	•••	••	•••
			5' 4" x 6' 8" (2) 14" SIDELIGHTS	6' 0" x 6' 8" (2) 14" SIDELIGHTS	7' 0" x 6' 8" (2) 14" SIDELIGHTS
(2 546)	(2 521)	(2 508)			
8'4 1/4"	8'31/4"	8'.2 3/4"			
			5' 4" x 8' 0" (2) 14" SIDELIGHTS	6' 0" x 8' 0" (2) 14" SIDELIGHTS	7' 0" x 8' 0" (2) 14" SIDELIGHTS

For Out-Swing units with standard bumper sill, subtract 1-3/8" from each of the height measurements.


In-Swing Single Doors with Two 12" Sidelights and 14" Transom



In-Swing Single Doors with Two 12-5/8" Sidelights and 14" Transom




In-Swing Single Doors with Two 14" Sidelights and 14" Transom



For Out-Swing units with standard bumper sill, subtract 1-3/8" from each of the height measurements.



In-Swing Double Doors with 14" Transom



For Out-Swing units with standard bumper sill, subtract 1-3/8" from each of the height measurements.


For In-Swing/Out-Swing units with ADA sill, subtract 7/8" from each of the height measurements.

Circle Head Transoms


Masonry	5' 7 ⁷ /8" (1 724)	5' 9 1/4" (1 759)	5' 11 ⁷ /8" (1 826)	6' 5 ¹ /4" (1 962)
Opening	5' 5 ⁵ /8" (1 657)	5' 7" (1 702)	5' 9 ⁵ /8" (1 769)	6' 3" (1 905)
Frame	5' 4 ⁷ /8" (1 648)	5' 6 ¹ / ₄ " (1 683)	5' 8 ⁷ /8" (1 750)	6' 2 ¹ /4" (1 886)
(397)				
1'.43/8" 1'.33/8" 1'.2 ⁷ /8"				
(843)				
2' 9" 2' 87/16"				
(915) (860) (795)				
2' 105/8" (915) 2' 95/8" (860) 2' 91/8" (795)				
(894) " (875)				
3'0" 2'11" 2'10 ⁷ / ₁₆ "				
(1 019) (962) (943)				
3' 25/8" 3' 15/8" 3' 11/8"				




Rustic Walnut Single and Double Curve Top Doors




Rustic Walnut Single Curve Top Doors with Two 14" Sidelights



Cherry Single Curve Top Doors with Two 14" Sidelights




Cherry Curve Top Doors




For Out-Swing units with standard bumper sill, subtract 1-3/8" from each of the height measurements. For In-Swing/Out-Swing units with ADA sill, subtract 7/8" from each of the height measurements.




Mahogany Single and Double Curve Top Doors



Mahogany Radius Top Doors with 14" Surround



Oak Double Curve Top Doors



For Out-Swing units with standard bumper sill, subtract 1-3/8" from each of the height measurements. For In-Swing/Out-Swing units with ADA sill, subtract 7/8" from each of the height measurements.